




MAHATMA GANDHI MISSION COLLEGE OF NURSING

LIST OF LAB ARTICLES

Nursing Foundation		
ARTICLE	Quantity Required	Available
Beds	6	6
Nursing Multi- Procedures Mannequins	2	2
Measuring Cups		
125 ml	7	7
200 ml	4	4
250 ml	4	4
500 ml	4	4
1000 ml	5	5
Plastic bottles :		
Big	12	
Small	6	6
Measuring Cups 50ml	3	3
Plastic mugs	3	3
Soap dish	4	4
Clean gloves	2 boxes	2 boxes
Hot water bag	5	5
Ice cap	5	5
Air cushion	5	5
Lactometer	8	
Bath thermometer	3	3
Shaving Kit	1	1
Comb	7	7
Toothpaste	1	1
Toothbrush	2	2
Powder	1	1
Nail brush	6	6
Oil	1 bottle	1 bottle
Test tube stand :		
Big	1	1
Small	3	3
Enamel tray containing:		
Nelson's inhaler	4	5
Mortor & Pestil	4	4
Feeding cup	1	2
Conical flaks	6	2
WOLF'S bottle	2	2
Vacutainer and test tube	1 box	1 box
Box with thermometer	6	6
Funnel : Big	4	4
Small	4	4



Tuning fork	2	5
Knee hammer	3	3
Measuring Tape	6	6
Enema can		
with tubings	1	1
without tubings	4	4
Flatus tube	2	2
Rubber catheters	5	5
Foleys' catheters :		
Double lumen	7	7
Triple lumen	1	1
Silicon catheter (Double)	5	5
Condom catheter	4	4
Urobag	2	2
Ryles' tube	5	5
T and Y connectors	2	2
Box of Enema	1	1
Bandages	2	2
Abdominal binder	2	2
Roller Bandages	2	2
Chest bandages		
10 cm	4	4
12 cm	4	4
15 cm	4	4
Thigh bandages		
6 cm	4	4
8 cm	8	8
Triangular bandages	7	7
Donuts	2	2
Head rings	1	1
T Bandages	10	10
Splints (cloth)	1	1
Splint (wooden)	2	2
Benedicts' solution	1 bottle	1 bottle
Nitric acid	1 bottle	1 bottle
Ammonium hydroxide	1 bottle	1 bottle
Sulphur powder	1 bottle	1 bottle
Stethoscopes	6	6
Shygmomannometer	3	7
Glucometer	3	3
Advanced simulators	1	1
Male catheterization	1	1
Female catheterization	1	1
Male and female genital organs	1 box	1 box
Head mirror	2	2
Otoscope	2	2
Ear irrigation Syringe	2	2
Asepto syringe	2	2

Irrigation cans	2	2
Torch (Small)	1	1
Torch (Big)	2	2
Lubricating jelly	1	1
Candid Ear drops	1	1
Eye Shields	6	6
Eye wash cups	4	4
Biopsy needles	1 box	1 box
Proctoscope	2 box	2 box
Head caps and masks	1 box	1 box
Eye drops	2	2
AMBU with reservoir and mask	1	1
Box containing:		
Ventilator tubings	1	1
Oxygen flowmeter	7	7
HME filters	3	3
Oxygen mask	1	1
Airway:		
Oral	2	2
Pharyngeal	1	1
Endotracheal tube	1	1
Oxygen connector	2	2
Nasal prongs	1	1
Bipap mask	2	2
pressure bag	1	1
tray with emergency equipment	1	1
laryngoscope with blade	2 box	2 box
water seal drainage	3	3
Box with		
Mucous extractor	2	2
IV set	4	4
3 way	1	1
Suction catheter	3	3
Box with syringes and IV cannula	2	2
IV simulator & corrugated drainage sheet	1	1
box with medicines	1	1
box with oxygenation	1	1
Steel sterilizer	2	2
Bio hazard container	1	1
Kidney tray (big)	6	6
Kidney tray (small)	5	5
Sputum cups	4	4
Bowl sterile(wati)		
Big	6	6
Medium	2	2
Small	3	3
Spirit lamps	6	6
Procedure trays with lids	5	5

Pie dish	3	3
Basins		
Big	12	12
Medium	4	4
Small	4	4
Bowls		
Big	10	10
Medium	10	10
Small	10	10
Lids		
Medium	12	12
Small	12	12
Bed pan (plastic)	6	6
Urinals (plastic)	3	3
Urinals (steels)	1	1
Enamel tray (big)	4	4
Enamel tray (small)	4	4
Steel containers (big)	4	4
Steel containers (small)	4	4
Drums (small)	4	4
drums (big)	2	2
BP apparatus	5	5
Weighing machine	2	2
Mackintosh	10 meters roll	10 meters roll
Pillow covers	15	15
Draw sheets	15	15
Towels	10	10
Soft towels	20	20
Big towels	12	12
White sheets	20	20
Blankets	10	10
OT Gown (green)	20	20
Blue sheets	7	7
Green sheets	13	13
green sheets (small) for tray	7	7
Fenestrated towel blue	5	5
Manikin clothes	8 pair	8 pair
Peadiatric clothes	6 pair	6 pair
Backrest cover	4	4
Screens	2	2
Leggings	2 pair	2 pair
Hot water bag cover (big)	6	6
Hot water bag cover (small)	10	10
Air cushion	6	6
Ice cap cover	6	6
OT Mask	1 box	1 box
Plastic gown	1	1
Pillows	3	3

Brown box 2 with		
IV infusion training kit (big)	4	4
IV infusion training kit (small)	7	7
Deltoid module	5	5
IV module (big)	3	3
IV MOdule (small)	3	3
Box with		
Skill guide with monitor	1	1
Full size arm for IV transfusion	4	4
Airway- ET	4	4





MAHATMA GANDHI MISSION COLLEGE OF NURSING

LIST OF LAB ARTICLES

Nutrition Lab		
Steel.dabbas (big)	6	6
steel dabbas (small)	6	6
Oven plates and barbeque stands	1	1
Plastic bowl (Big)	2	2
Plastic bowl(Medium)	2	2
Plastic bowl(Small)	2	2
Crokery Set		
a) Tray	10	10
b) Big plates	10	10
c) Small plates	10	10
Plastic bowl (big) with lid	6	6
Plastic bowl (big) without lid	6	6
Plastic bowl (Small) with lid	6	6
Plastic bowl (Small) without lid	6	6
Big spoons	6	6
Soup spoons	6	6
Glasses	6	6
Glass bowls(big)	20	20
Glass bowls(medium)	10	10
Glass bowls (small)	4	4
Spoon set with stand	4	4
Small plates	4	4
Forks	10	10
Spoons big	10	10
Spoons medium	20	20
Spoons small	10	10
Rice spoons	20	20
Pakkads	4	4
Lemon squeezer	2	2
Pealers	6	6
Non stick pans	2	2
Toaster	4	4
Oven idli maker	6	6
Oven cooker	2	2
Sauce pans with lid	1	1
Pressure cooker	2	2
Vati	10	10
Glasses	10	10
Measuring cups	20	20
Tea strainers	20	20
Tongs (pakkad)	8	8
Tea vessels aluminium(big)with lid	6	6
Tea vessels aluminium(small)with.lid	5	5
Tea kettle (big)	2	2

Tea kettle (small)	2	2
Egg beater	1	1
Steel vessels	1	1
Steel tea vessels (big) without handles	12	
Steel tea vessels (small) with handles	4	4
Chapati maker	3	3
Chapati maker sticks	3	3
Strainers	6	6
Lighter	6	6
Steel vessels with gas sieve	2	2
Weighing machine	2	2
Mixer jar (small)	8	8
Mixer jar (big)	1	1
Induction stove	5	5
Juicer	2	2
Mixer	1	1
Chopping boards (big)	1	1
Chopping boards (small)	1	1
Containers (big)	6	6
containers (small)	6	6
Wooden spatula	10	10
Wooden spoons	10	2
Knife set	8	8
Flask	7	4
Thermas big	1	1
Thermas small	1	1
Aqua guard with filter and tubings	1	1
Gas cylinders (small)	1	2





MAHATMA GANDHI MISSION COLLEGE OF NURSING

LIST OF LAB ARTICLES

Community Health Nursing		
Steel Tray	4	4
Community bags (1:3)with fully equipped articles	1:03	0:00
Delivery kit	2	1
Bed. with Basic procedure mannequins	1	1
HIV rapid test kit	1	0
Fetoscope	2	2
Heamoglobinometer	2	1
Thermometer (oral)	6	6
Charts	6	6
Various Environmental Sanitation Model	5	5
Malaria Life Cycle Model	1	1
Infantometer	1	1
Stethoscope	6	6
Sterilizers	1	1
Digital B.P	2	2
Test tube holder box	2	2
Box with test tubes	1	1
Box with instruments	2	2
Box with otton swabs	1 box	1 box
Solution bottles of	1 box	1 box
Bendicts solution	1 box	1 box
Acetic acid	1 bottle	1 bottle
Spirit	6 bottles	6 bottles
Spirit lamps	7 bottles	7 bottles
Bottles with cotton balls	6 bottles	6 bottles
Specimen bottles	12 bottles	12 bottles
Stool specimen bottles	6 bottles	6 bottles
Soap dish	8	8
Dettol	8 bottles	8 bottles
Betadine	2	2
Urostrip bottle	1	1
Funnel (Big)	7	2
Funnel (small)	1	1
Measuring cup	2	2
Stapler with pins	1	1
Pocket diaries	2	2
Steel bowls	5	5
Kidney tray	4	4
Paper clips	6	6
Box with hand towel	7	7
Weighing machine	2	2
Box with bottles	1 Box	1
Box with clean gloves	2	2



PANVEL CITY MUNICIPAL CORPORATION



Certificate Of Registration

(Under Bombay Nursing Home Registration (Amendment) Act 2005 Under Section 5)

This is certify that Dr. Kuldip Raj Salgotra (Hospital Director) MBBS MS
Res 2016/07/1830
has been registered under The Bombay Nursing Home Registration (Amendment) Act
2005 in Respect of Mahatma Gandhi Mission Medical Collage Hospital
situated at Plot no 1 & 2 Sect 01 Kamothe Panvel City

Municipal Corporation and has been authorised to carry on said Nursing Home

Registration No. MH/AMC/H-136

Date of Registration 01/04/2022

Place P.M.C

Date of issue 13/09/2022

Terms and Conditions

- 1) Certificate is valid upto 31 / 03 / 2025
- 2) No. of indoor patients Sanctioned 1075... Maternity Bed 00 / ICU Bed 149 NICU Bed/Total Bed 1075
other 920 bed
- 3) There should not be any nuisance or health hazards to the neighboring residents Feed 10 bed
- 4) Hospital waste should be disposed off as per the Biomedical Waste Act, 1998
- 5) Hospital waste should not be thrown in community dustbins or anywhere in open space.
- 6) All necessary NOC required from various department should be renewed regularly.
- 7) It is necessary to obtain relevant Registration / Licences required under various act applicable to hospital
- 8) Registration should be renewed every three year in the month of March as per the Bombay Nursing Home Registration (Amendment) Act 2005.
- 9) It is mandatory to submit information / report as desired by PCMC
- 10) The Registration is liable to be evoked on violation of any of above condition.



JRM
Local Supervising Authority Cum
Medical Officer of Health
Panvel City Municipal Corporation

Mumbai Waste Management Limited



Plot No. P-32, MIDC Taloja, Tal. Panvel,
Dist. Raigad,
Mumbai Maharashtra 410208 India
Mobile No: 8422877101 Email: bmwmwml@resustainability.com



Unique Registration #: MWML/2023/00668



Registration Certificate



Outward #: MWML/2023/00668

Date: 26-12-2024

This is to certify that MGM Hospital Plot No. 1 & 2, Sector - 20, KAMOTHE Maharashtra 410209 India is registered with Mumbai Waste Management Limited with Membership No: **PAN1069** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name of Designation)	:	Medical Superintendent Medical Superintendent
2	Bombay Nursing Home Act Registration Details		
	a. Registration Number	:	MH/PMC/H-136
	b. Issue Date	:	09/13/2022
	c. Total number of Beds	:	1075
	d. Validity (From "C")	:	03/31/2025
3	Common Treatment Facility Registration Detail		
	a. Date of Registration	:	04/21/2004
	b. No. of Beds Registered	:	1075
	c. Registration Validity	:	03/31/2025
4	Renewal of CTF Membership (if Applicable)		
	a. Renewal Date	:	03/30/2025
	b. No. of Beds	:	1075
5	State PCB Consent (Establish/1st Operate) Details		
	a. Consent / CCA Number	:	Format 1.0/CAC/UAN No 0000115356/CR-2112001494
	b. Issue Date	:	12/27/2021
	c. Validity (to)	:	06/30/2026



Somnath Malgar

Authorized Signature

Name: Somnath Malgar

Designation: Director

Note: HCE shall display copy of Registration Certificate at front desk and Temporary BMW storage area

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Slon Circle,
Slon (E), Mumbai-400022

RED/L.S.I

No:- Format1.0/CAC/UAN No.0000115356/CR - 2112001494

Date: 27/12/2021

To,
Mahatma Gandhi Mission Medical College Hospital,
Sec-1, Plot no. 1 & 2, Kamothe,
Panvel, Dist:Raigad.



Your Service is Our Duty

Sub: Renewal of Combined Consent and BMW Authorizatlop under Red category

- Ref:**
1. Combine Consent and Bio-Medical Authorization granted by the Board vide no.BO/UAN No.17576/CAC-1907000816 Dated 22.07.2019 valid up to 30.06.2021
 2. Amendment in consent granted by the Board vide no. BO/UAN No.17576/CAC-1907000816/Amend-0892 Dated 26.09.2019
 3. Your application for Combine Consent and Bio-Medical Authorization dated 08.06.2021
 4. The minutes of Consent Appraisal Committee meeting dated 13.10.2021 & 29.10.2021

Combined Consent to Renewal and BMW Authorization.

for: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The Combined Consent to Renewal and BMW authorization is granted upto: 30.06.2026
2. The capital investment of the project is Rs.62,5133 Crs. (As per C.A Certificate submitted by Industry Existing-Rs.59.17 Crs + Increase in C.I. - Rs. 3.35 Crs).
3. The Consent is valid for the Activity of

Sr No.	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	810	Nos
b)	Total Plot Area	80000.00	Sq.Mtrs
c)	Total Built up Area	32932.00	Sq.Mtrs



4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	5	As per Schedule -I	Treated effluent shall be recycled up to maximum extent and remaining shall be used on land for gardening / disposed in to sewerage system provided by Local body.
2.	Domestic effluent	400	As per Schedule -I	As above

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [500 KVA X 3 Nos]	3	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Wet Garbage	50	Kg/Day	composting	Used as a manure
2	Dry Garbage	360	Kg/Day	Sale/ Composting	Reuse / Used as a manure
3	STP Sludge	25	Kg/Day	Compost	Used as a manure

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	200.00	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Animal Anatomical Waste	250.00		
		c) Soiled Waste	600.00		
		d) Expired or Discarded Medicines	15.00		
		e) Chemical Waste	200.00		
		f) Chemical Liquid Waste	50.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	800.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	300.00		
2	Red	Contaminated waste (Recyclable)	2183.00	Red colored non-chlorinated plastic bags or containers	CBMWTSDF



Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
3	White (Translucent)	Waste sharps including Metals	135.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDf
4	Blue	a) Glassware	330.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDf
		b) Metallic body implants	50.00		

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. If any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
- c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
- d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".



- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
 13. PP shall install primary Effluent Treatment Plant (ETP) within 6 months.
 14. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.
 15. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient

For and on behalf of the
Maharashtra Pollution Control Board.



Ashtok Shingare
(Ashtok Shingare IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	500000.00	MPCB-DR-6263	08/06/2021	RTGS
2	15000.00	TXN2112001603	15/12/2021	Online Payment
3	75000.00	MPCB-DR-6266	10/06/2021	NEFT

Copy to:

1. Regional Officer, MPCB, Raigad and Sub-Regional Officer, MPCB, Raigad
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have proposed primary ETP of 5.0 CMD capacity
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(5)	COD	250 mg/l

C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.

2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 400 CMD for the treatment of 400 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards:

1	BOD	Not to exceed	30
2	COD	Not to exceed	100
3	Suspended Solids	Not to exceed	50

C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The Industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	500.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardenng	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S% SO ₂
S-1, S-2 & S-3	DG Set [500 KVA X 3 Nos]	Acoustic encloser and Stack	8. Each	HSD	108 Ltr/Hr	1.00 51.84

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.



- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
						NA

**** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.**
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee Imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	100000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	100000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	50000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25000



Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	75000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
			NA			


BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
				NA

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such Information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.



7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be Incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).




22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

For and on behalf of the
Maharashtra Pollution Control
Board.



Ashok Shingare
(Ashok Shingare IAS),
Member Secretary

PANVEL CITY MUNICIPAL CORPORATION



Certificate Of Registration

(Under Bombay Nursing Home Registration (Amendment) Act 2005 Under Section 5)

This is certify that Dr. Archana chhajari MBBS MS (obgyn) Reg 2007
02/0236

has been registered under The Bombay Nursing Home Registration (Amendment) Act

2005 in Respect of Mahatma Gandhi Mission Hospital Kalmali

situated at Plot no 04, Sect 4E, Kalmali 410208 Panvel City

Municipal Corporation and has been authorised to carry on said Nursing Home

Registration No. MH/PMC/H- 125

Date of Registration 01/04/2022

Place P.M.C

Date of issue 15/05/2024

Terms and Conditions

Facility - MTP Regd. No. 55 TL Regd. No. 53 / PCPNDT Regd. No. 104

- 1) Certificate is valid upto 31/03/2025
- 2) No. of indoor patients Sanctioned 420 1) Maternity Bed 50 2) ICU Bed - 15 3) NICU Bed 05 Total Bed 420
- 3) There should not be any nuisance or health hazards to the neighboring residents other bed - 350 bed
- 4) Hospital waste should be disposed off as per the Biomedical Waste Act, 1998
- 5) Hospital waste should not be thrown in community dustbins or anywhere in open space.
- 6) All necessary NOC required from various department should be renewed regularly.
- 7) It is necessary to obtain relevant Registration / Licences required under various act applicable to hospital
- 8) Registration should be renewed every three year in the month of March as per the Bombay Nursing Home Registration (Amendment) Act 2005.
- 9) It is mandatory to submit information / report as desired by PCMC
- 10) The Registration is liable to be evoked on violation of any of above condition.



Archana
Medical Officer Of Health
Panvel Municipal Corporation
Medical Officer of Health
Panvel Municipal Corporation

Mumbai Waste Management Limited



Plot No. P-32, MIDC Taloja, Tal.Panvel,
Dist.Raigad,

Mumbai Maharashtra 410208 India

Mobile No: 8422877101 Email: bmwmwml@resustainability.com



Unique Registration #: MWML/2023/00669



Registration Certificate



Outward #: MWML/2023/00669

Date: 31-01-2025

This is to certify that M G M Hospital - Kalamboli Sector 4 E KALAMBOLI Maharashtra 410218 India is registered with Mumbai Waste Management Limited with Membership No: **PAN1070** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- 1 **Authorized Person of HCE**
(Name of Designation) : **Dr. N. C. Mohanty**
Director
- 2 **Bombay Nursing Home Act Registration Details**
 - a. Registration Number : 125
 - b. Issue Date : 05/15/2024
 - c. Total Number of Beds : 420
 - d. Validity (Form "C") : 03/31/2025
- 3 **Common Treatment Facility Registration Detail**
 - a. Date of Registration : 04/21/2004
 - b. No. of Beds Registered : 420
 - c. Registration Validity : 03/31/2025
- 4 **Renewal of CTF Membership (if Applicable)**
 - a. Renewal Date : 03/30/2025
 - b. No. of Beds : 420
- 5 **State PCB Consent (Establish/1st Operate) Details**
 - a. Consent / CCA Number : FORMAT1.0/CC/UAN
No.0000141584/CR/2301001552
 - b. Issue Date : 01/18/2023
 - c. Validity up to : 06/30/2025



Authorized Signature

Name: Somnath Malgar

Designation: Director

Note: HCE shall display copy of Registration Certificate at front desk and Temporary BMW storage area

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I

Date: 18/01/2023

No:- Format1.0/CC/UAN No.0000141584/CR/2301001552

To,
Mahatma Gandhi Mission Hospital
Plot No. 4, Sec 4E, Kalamboli
Panvel, Raigad-
Email: mgmhospkal@gmail.com
Contact No.: 9819868007



Renewal of Combined Consent and BMW Authorization (CCA) with increase in Bed from 120 to 150 under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.Format 1.0/ BO/ PSO/CC-2006000754 Date-17/06/2020
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 27.06.2022
 3. MOM of 21st CC Meeting Dtd. 26.11.2022
 4. SCN For Refusal Dtd. 07.12.2022
 5. Your reply Dtd. 13.12.2022
 6. MOM of 24th CC Meeting Dtd. 11.01.2023

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization with increase in Bed from 120 to 150 to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-06-2022** To **30-06-2025**
2. The capital investment of the HCF is **₹4002.89** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 4125.00 M² with Built-up area 4070.50 M².
4. **Activities Included**
 - a. Total Number of Beds : **150 Nos.** (As per BNH certificate no. MH/PMC/H-125 valid upto 31-03-2025)
 - I. General Beds : **10 Nos**
 - II. ICCU/ICU Beds : **20 Nos**
 - III. Maternity Beds : **120 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 80.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	MT/M	CHWTSDF
2	Biological Sludge	NA	As per Actual	Kg/M	Manure/Gardening

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Mumbai Waste Management Ltd, Talaja, Navi Mumbai** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Raigad within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



a11cdd62
2b3fcd88
73e38e0d
3f762d47
edfb7867
5749b77c
19b23a46
0032cc50

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2023-01-18 14:52:41 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	225000.00	MPCB-DR-12797	27/06/2022	NEFT
2	15000.00	TXN2207002546	22/07/2022	Online Payment
3	25000.00	MPCB-DR-16055	16/12/2022	RTGS
4	15000.00	MPCB-DR-12802	27/06/2022	NEFT

Copy to:

1. Regional Officer, MPCB, Raigad and Sub-Regional Officer, MPCB, Raigad I
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	60.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	20.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	50	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set 200 KVA	Diesel	20.00 Ltr/Hr	2.20

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	250.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Mumbai Waste Management Ltd, Talaja, Navi Mumbai Talaja, Navi Mumbai
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	250.00		
		d) Expired or Discarded Medicines	50.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	10.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	80.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	80.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	465.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Mumbai Waste Management Ltd, Talaja, Navi Mumbai Talaja, Navi Mumbai
3	White (Translucent)	Waste sharps including Metals	35.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Mumbai Waste Management Ltd, Talaja, Navi Mumbai Talaja, Navi Mumbai
4	Blue	a) Glassware	70.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Mumbai Waste Management Ltd, Talaja, Navi Mumbai Talaja, Navi Mumbai
		b) Metallic body implants	0.00		

Responsibilities of the CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Mumbai Waste Management Ltd, Talaja, Navi Mumbai** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Raigad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Raigad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



पनवेल महानगरपालिका

ता. पनवेल, जि. रायगड, पिन नं. ४१० २०६

कार्यालय :- २७४५८०४०४२/४१/
अग्निशमन विभाग :- २७४६१५००

ईमेल: panvelcorporation@gmail.com
फोन नं.: ०२२-७४५२२३३

कार्यालय जा.क्र.पमपा-अग्निशमन/२०२२/२१२१/प्र.क्र.८६३/२७८५/२०२२

दिनांक २१/०८/२०२२

"अंतिम ना हरकत दाखला"

प्रति,

सहाय्यक संचालक नगर रचना विभाग,
पनवेल महानगरपालिका,
पनवेल नवी मुंबई.

विषय :- अग्निशमन विभागाकडील कळंबोली येथील प्लॉट नं. ४, सेक्टर ४ ई, मेसर्स एम.जी.एम. हॉस्पिटल या प्रस्तावित हॉस्पिटल इमारती करीता अंतिम नाहरकत दाखला देणेबाबत.

- संदर्भ :- १) मेसर्स महात्मा गांधी मिशन हॉस्पिटल यांचा दिनांक १७/०८/२०२२ रोजीचा या विभागास प्राप्त विनंती अर्ज.
- २) सदर हॉस्पिटल इमारत याचा ताबा मिळाल्याबाबतची ताबा पावती दिनांक २३/०९/१८८९.
- ३) पनवेल महानगरपालिकेकडून देण्यात आलेला सुरुवातीचा ना हरकत दाखला जा.क्र.PMC/FIRE/५८०/२०२१ दिनांक २३/०२/२०२१.
- ४) मेसर्स Neo Enterprises यांनी दिनांक १२/०८/०२२ अन्वये सादर केलेला विहित नमुन्यातील दाखला (Form A)
- ५) अर्जदार यांनी जाहिर केलेले एकूण क्षेत्रफळ ३१६० चौ.मि.
- ६) अग्निशमन सेवा शुल्क ४७,४००/- भरणा पावती क्र. F१०४/७१३८ दिनांक १२/०२/२०२१.
- ७) अग्निशमन यंत्रणा लायसन्स अभिकरण यांचे मार्फत पुढील ३ वर्षे कार्यान्वीत ठेवणेबाबत हॉस्पिटलच्या वतीने संचालक यांनी सादर केलेले हमी पत्र.
- ८) दिनांक २०/०८/२०२२ रोजी झालेली तपासणी.

महोदय,

कळंबोली येथील भुखंड क्र. ४, सेक्टर ४ ई, या भुखंडावर अस्तित्वात असलेल्या हॉस्पिटल इमारत याचा ताब M.G.M. हॉस्पिटल यांचेकडे मिळाल्यावर हॉस्पिटल संचालक यांनी या अस्तित्वात असलेल्या हॉस्पिटल इमारत तळ + २ मजले, ११ मीटर उंच इमारतीस महानगर पालिकेकडून अग्निसुरक्षिततेच्या दृष्टिकोनातून उपाययोजना करणेकरीता संदर्भ क्र. PMC/FIRE/५८०/२०२१ दिनांक २३/०२/२०२१, अन्वये अग्निशमन विभागामार्फत सुरुवातीचा ना हरकत दाखला देण्यात आलेला आहे.


पनवेल महानगरपालिका अग्निशमन विभागामार्फत देण्यात आलेल्या सुरुवातीचा नाहरकत दाखल्यामधील (Provisional NOC) सर्व आग प्रतिबंधक व जीव संरक्षक उपाययोजना उक्त भुखंडावर अस्तित्वात असलेल्या इमारतीमध्ये बसविण्यात आल्या असल्याबाबत मेसर्स महात्मा गांधी मिशन हॉस्पिटल ह्यांनी त्यांचेकडील दिनांक १७/०८/२०२२ चे पत्रान्वये कळविले आहे.

इमारतीतील किंवा त्याच्या भागातील आग प्रतिबंधक व जीव संरक्षक उपाययोजनांच्या अनुपाल संबंधी लायसन्स प्राप्त अधिकरणाने नमुना "अ" मध्ये प्रमाणपत्र देण्याची तरतूद महाराष्ट्र आग प्रतिबंधक व जीव संरक्षक उपाययोजना अधिनियम २००६ अन्वये तयार करण्यात आलेल्या महाराष्ट्र आग प्रतिबंधक व जीवसंरक्षक उपाययोजन नियम २००९ मधील नियम क्र. ४(१) मध्ये करण्यात आली आहे.

उपरोक्त तरतूदीनुसार मेसर्स महात्मा गांधी मिशन हॉस्पिटल यांनी मेसर्स Neo Enterprises (लायसन्स क्र. MFS-LA/RD-53 & MFS-LA/RF-52) ह्या अधिकरणाकडील दिनांक १२/०८/२०२२ अन्वये नमुना मधील "अ" प्रमाणपत्र सादर केले आहे. त्यानुसार उक्त भुखंडावर अस्तित्वात असलेल्या हॉस्पिटल इमारतीमध्ये बसविण्यात आलेल्या आग प्रतिबंधक व जीवसंरक्षक उपाययोजनांची तपासणी / चाचणी डिझेल पंपाद्वारे दिनांक २०/०८/२०२२ रोजी घेतली असता सदर इमारतीमध्ये उपरोक्त ना हरकत दाखल्यान्वये सुचविण्यात आलेली आग प्रतिबंधक व जीव संरक्षक उपाययोजना बसविण्यात आली असल्याचे व सदर उपाययोजना तपासणीचे दिवशी सुस्थितीत व कार्यान्वीत असल्याचे निदर्शनात आले असून उपरोक्त भुखंडावर अस्तित्वात असलेल्या हॉस्पिटल इमारतीला ११ मीटर उंच, तळमजला + २ मजल्या करीता वापर परवाना देणेस अग्निशमन विभागाची हरकत नाही.

हॉस्पिटलच्या वतीने, हॉस्पिटलचे संचालक यांनी संदर्भ क्र. ७ नुसार ३ वर्षांच्या कालावधीकरीता मेसर्स Nco Enterprises ह्या अग्निशमन यंत्रणा बसविणाऱ्या लायसन्स अभिकरण यांना यंत्रणा देखभाल व दुरुस्तीबाबत वार्षिक ठेका देणेबाबत हमी पत्र सादर केलेले असून यानुसार सादर यंत्रणा या कालावधीत कायम कार्यान्वीत ठेवण्याची जबाबदारी ही हॉस्पिटल वापरकर्ते व संबंधित लायसन्स अभिकरण यांचीच राहिल.

आग प्रतिबंधक व जीवसंरक्षक उपाययोजना अधिनियम २००६ चे कलम ३(३) नुसार इमारतीचे मालक / भोगवटादार यांनी इमारतीत बसविण्यात आलेली आग प्रतिबंधक व जीवसंरक्षक उपाययोजना सुस्थितीत व कार्यान्वीत असल्याचे प्रमाणपत्र लायसन्स प्राप्त अभिकरणाकडून विहित नमुन्यात वर्षातून दोन वेळेस (जानेवारी / जुलै महिन्यात) ह्या विभागास सादर करतील तसेच या कायद्यातील तरतूदीनुसार वसुल करण्यात आलेल्या अग्निशमन शुल्काच्या १% इतकी रक्कम वार्षिक शुल्क म्हणून या विभागास अदा करतील.


29/8/22.
विजय शांताराम राणे
मुख्य अग्निशमन अधिकारी
पनवेल महानगरपालिका

टिप :- अग्निशमन विभागाची दिशाभुल करुन खोटे / चुकीची कागदपत्रे सादर करुन ना हरकत दाखला प्राप्त केल्यास सादरचा दाखला रद्दबादल धरला जाईल याची कृपया नोंद घ्यावी.

प्रत रवाना :-

१. मेसर्स महात्मा गांधी मिशन हॉस्पिटल
२. मेसर्स Neo Enterprises
३. कार्यालयीन प्रत.